

L Number	Hits	Search Text	DB	Time stamp
1	4247	((717/101-117,120-123) or (382/128) or (707/4)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 08:55
-	664	(@ad<=20000309 or @rlad<=20000309) and ((requirement same model).ab. or (requirement same model).clm.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 15:48
-	79	(UML and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 17:07
-	168	((unified near5 model\$5) and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:32
-	20	((functional adj2 requirement) same specification) and (((unified near5 model\$5) and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 15:46
-	16	((functional adj2 requirement) same specification) and ((UML and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 15:46
-	33	((functional adj2 requirement) same specification) and (((unified near5 model\$5) and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309)) or (((functional adj2 requirement) same specification) and ((UML and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 15:46
-	79	((@ad<=20000309 or @rlad<=20000309) and ((requirement same model).ab. or (requirement same model).clm.)) and (model\$4 near6 (language or specification or metadata or IDL))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 15:49
-	1	(model\$4 and (requirement near3 functional) and (use adj case))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:12
-	5	((functional adj2 requirement) same specification) and (((unified near5 model\$5) and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309)) or (((functional adj2 requirement) same specification) and ((UML and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309)))) and (use adj2 case)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:29
-	14	((functional adj2 requirement) same specification) and (((unified near5 model\$5) and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309)) or (((functional adj2 requirement) same specification) and ((UML and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309)))) and (((functional adj2 requirement) or requirement) near8 (link\$3 or relationship or dependenc\$4 or connect\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:31

-	191	((UML and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309)) or (((unified near5 model\$5) and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:31
-	80	((UML and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309)) or (((unified near5 model\$5) and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309))) and (((functional adj2 requirement) or requirement) near8 (link\$3 or relationship or dependenc\$4 or connect\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:31
-	64	((UML and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309)) or (((unified near5 model\$5) and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309))) and (((functional adj2 requirement) or requirement) near8 (link\$3 or relationship or dependenc\$4 or connect\$3))) and (UML or (modeling adj2 language) or (Rational adj3 (Rose or tool)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:58
-	0	((UML and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309)) or (((unified near5 model\$5) and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309))) and (((functional adj2 requirement) or requirement) near8 (link\$3 or relationship or dependenc\$4 or connect\$3))) and (UML or (modeling adj2 language) or (Rational adj3 (Rose or tool))) and ((functional adj2 requirement) near5 specification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:34
-	1	((UML and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309)) or (((unified near5 model\$5) and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309))) and (((functional adj2 requirement) or requirement) near8 (link\$3 or relationship or dependenc\$4 or connect\$3))) and (UML or (modeling adj2 language) or (Rational adj3 (Rose or tool))) and ((functional adj2 requirement) same ((use adj2 case) or object))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:58
-	29	((requirement and model\$3) same ((team or staff) near5 (authoring or specif\$5))) and (((@ad<=20000309 or @rlad<=20000309) and ((requirement same model).ab. or (requirement same model).clm.)) or ((UML and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309)) or (((unified near5 model\$5) and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:52
-	2	((requirement and model\$3) same ((team or staff) near5 (authoring or specif\$5))) and (((@ad<=20000309 or @rlad<=20000309) and ((requirement same model).ab. or (requirement same model).clm.)) or ((UML and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309)) or (((unified near5 model\$5) and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309)))) not (Accenture.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:56

-	0	(model\$5 and (use adj case)) and (specification) and UML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:54
-	0	(model\$5 and (use adj2 case)) and (specification) and "Unified Modeling Language"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:55
-	428	(model\$5 and (case ajd2 tool)) and (specification) and "Unified Modeling Language"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 17:09
-	401	((model\$5 and (case ajd2 tool)) and (specification) and "Unified Modeling Language") not (Accenture.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:58
-	1	((model\$5 and (case ajd2 tool)) and (specification) and "Unified Modeling Language") not (Accenture.as.) and ((@ad<=20000309 or @rlad<=20000309) and ((requirement same model).ab. or (requirement same model).clm.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:58
-	16	((model\$5 and (case ajd2 tool)) and (specification) and "Unified Modeling Language") not (Accenture.as.) and ((UML and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:58
-	16	((model\$5 and (case ajd2 tool)) and (specification) and "Unified Modeling Language") not (Accenture.as.) and ((UML and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309))) not (Accenture.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 17:21
-	16	((model\$5 and (case ajd2 tool)) and (specification) and "Unified Modeling Language") not (Accenture.as.) and ((UML and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309))) not (Accenture.as.) and (UML or (modeling adj2 language) or (Rational adj3 (Rose or tool)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 16:58
-	3	((model\$5 and (case ajd2 tool)) and (specification) and "Unified Modeling Language") not (Accenture.as.) and ((UML and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309))) not (Accenture.as.) and (UML or (modeling adj2 language) or (Rational adj3 (Rose or tool))) and ((functional adj2 requirement) and ((use adj2 case) or object))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 17:05
-	26	((use adj case) or UML) and model\$4 and (medical near2 (diagnostic or imaging))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 17:06
-	7	((use adj case) or UML) and model\$4 and (medical near2 (diagnostic or imaging))) and (@ad<=20000309 or @rlad<=20000309)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 17:20
-	22	(model\$5 or "use case" or (case ajd2 tool)) and (medical near2 (imaging or diagnostic)) and ("Unified Modeling Language" or UML)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 17:10

-	2	((model\$5 or "use case" or (case ajd2 tool)) and (medical near2 (imaging or diagnostic)) and ("Unified Modeling Language" or UML)) and (@ad<=20000309 or @rlad<=20000309)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 17:10
-	78	("use case" or (Case adj2 Tool)) and (UML or "unified modeling")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 17:21
-	39	((("use case" or (Case adj2 Tool)) and (UML or "unified modeling")) not (Accenture.as. or ((((((model\$5 and (case ajd2 tool)) and (specification) and "Unified Modeling Language") not (Accenture.as.)) and ((UML and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309))) not (Accenture.as.)) and (UML or (modeling adj2 language) or (Rational adj3 (Rose or tool)))) and ((functional adj2 requirement) and ((use adj2 case) or object))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 17:22
-	3	((("use case" or (Case adj2 Tool)) and (UML or "unified modeling")) not (Accenture.as. or ((((((model\$5 and (case ajd2 tool)) and (specification) and "Unified Modeling Language") not (Accenture.as.)) and ((UML and (requirement same model\$3)) and (@ad<=20000309 or @rlad<=20000309))) not (Accenture.as.)) and (UML or (modeling adj2 language) or (Rational adj3 (Rose or tool)))) and ((functional adj2 requirement) and ((use adj2 case) or object)))) and ((medical or hospital) same (test\$4 or diagnostic or application))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/03 17:23